

POLANIK  
Poland, Życzliwa 11  
97-300 Piotrków Trybunalski

tel. +48 44 646 44 81  
tel. +48 44 648 50 89  
fax +48 44 646 43 58

e-mail: [info@polanik.com](mailto:info@polanik.com)  
[www.polanik.com](http://www.polanik.com)



## TECHNICAL SPECIFICATION INSTRUCTION MANUAL

**Waterproof cover for landing area**

**P-647**



File: 2014-07-17  
Technical Support  
Paweł Ciechanowski  
[p.ciechanowski@polanik.com](mailto:p.ciechanowski@polanik.com)


## **Thank you for purchasing POLANIK waterproof cover type P-647.**

### **Safe assembly and use**

- Before you start to assemble and use the product please read this manual carefully and store the manual in a safe place for further reference. Polanik Sp. z o. o. shall not be liable for any cage damages which are the result of the failure to follow this manual.
- Unauthorized copying of this manual, in whole or in part, is prohibited.
- The contents of this manual are subject to change without notice.
- **Warning!** The sports equipment produced by Polanik Sp. z o. o. is designed for athletics training and use in sports competitions only. Please pay special attention when using the product, misuse of athletics equipment can cause serious injury or in extreme cases even death. That is why training and use during sports events have to be always supervised by authorized sports personnel. In no event shall Polanik Sp. z o. o. be liable for any special, incidental, indirect or consequential damages in connection with the purchase or use of POLANIK products or costs over the original cost of the product.

## I. General description

POLANIK landing area cover P-647 is designed to protect the landing area outdoors.



## II. Technical specification

Code	P-647
Designed for	W-647
Weight [kg]	20 kg
Construction	made of strong vinyl, welded joints make it very hermetic, equipped with special metal hooks for fastening to landing area

## III. Preparing for first use

The cover is ready to use after unpacking.

## IV. Assembly

Put cover on the assembled landing area, and then fasten it to the landing area segments with hooks.

## V. Operating

Stepping on the cover, treading on it in footwear is strongly prohibited. You must not put any tables, chairs, benches or any other objects whose unit pressure exceeds  $1\text{kg}/1\text{cm}^2$  on the covered landing area.

**VI. Maintenance**

Due to the hygiene requirements it is recommended that the cover should be cleaned regularly with commonly available detergents. Before you start wiping it, please try to clean a small spot on its bottom side in order to check the reaction with the PVC fabric.

**VII. Storing**

It cannot be bent or pressed by any objects during storing. That may deform it permanently. A storing facility should be clean and dry. The facility ought to provide min. temperature 5° C.