

TECHNICAL SPECIFICATION

Photocell single mirror

LFP-1



File: 2016-08-17

TECHNICAL SUPPORT

Paweł Ciechanowski

p.ciechanowski@polanik.com

I. Description

Photocell single mirror range 15m is part of a timing set used in the measurement of time in athletics. It assembled on a tripod at range of not more than 15m from photocell.

II. Assembly

Photocell single mirror should be place in front of the sports photocell on a tripod and turn on the photocell. It emits continuous the beep sound. The photocell should be positioned towards the reflector if it is centred on the reflector correctly the beep sound stops.

III. Operation and maintenance

The product should be stored in dry and roofed place.

IV. Packing and transport

The product is send in carton box.



* tripod ST available separately

V. Declaration

1) No. 2016-08-17

2) Issuer's name: POLANIK

Issuer's address: Życzliwa 11, 97-300 Piotrków Tryb.

3) Objects of declaration

No.	Name	Code
1	Photocell single mirror range 15m	LFP-1

4) Technical specification described above is in accordance with the factory's internal engineering standards.

Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed for and in behalf for:

POLANIK Spółka z Ograniczoną Odpowiedzialnością

2016-08-17 Piotrków Tryb.

(Date and place of issue)

Paweł Ciechanowski

Product Manager

6)

(Name, function)



.....
(Signature or equivalent authorized by the issuer)