

## TECHNICAL SPECIFICATION/ASSEMBLY MANUAL

### LANE MARKER


#### LM-60



Thank you for choosing lane marker produced by Polanik.

### I. General information

Set of lane markers is designer for run of the athletics field events. Markers should be put down in front of the start line in order to identification of competitor's lane.



### II. Technical specification

Code	LM-60	LM-60/4	LM-60/6	LM-60/8	LM-60/10
Type	set	set	set	set	set
Amount of markers	1	4	6	8	10
Material	Made of white fibreglass				
Digits	dark blue, on both sides				
Additional equipment	false start indicators				
Height [m]	~0,6				
Weight net [kg]	2,2	8,8	13,2	17,60	22

### III. Assembly

The lane marker is ready to use.

### IV. Maintenance

After each use the product should be cleaned from sand and other things. The product should be stored in a dry, roofed place.

## V. Packing and transport

The product is packed in foil, composed in stack.

## VI. Declaration

- 1) No. 2016-06-08
- 2) Issuer's name: POLANIK  
Issuer's address: Życzliwa 11, 97-300 Piotrkow Tryb.
- 3) Objects of declaration

No.	Name	Code
1.	Lane markers made of white fibreglass, triangular section	<b>LM-60</b>
2.	Set of 4 lane markers LM-60	<b>LM-60/4</b>
3.	Set of 6 lane markers LM-60	<b>LM-60/6</b>
4.	Set of 8 lane markers LM-60	<b>LM-60/8</b>
5.	Set of 10 lane markers LM-60	<b>LM-60/10</b>

- 4) The object of declaration described above is in conformity with the requirements of the company production and technology norms.

### Additional Information

- 5) Declaration for:  
Buyer/Distributor/User

Signed for and in behalf of:  
POLANIK

2016-06-08 Piotrkow Tryb.  
(Date and place of issue)

Paweł Ciechanowski  
Product Manager

6) .....  
(Name, function)



.....  
(Signature or equivalent authorized by the issuer)

Even the best technical solutions cannot substitute for common sense. The usage of the product must take place under the supervision of sports facility technical staff. The producer shall not be liable for any incidents caused by the improper assembly or its misuse. The producer reserves the right to introduce without warning changes in product constructions and colours.