

POLANIK  
Poland, Życzliwa 11  
97-300 Piotrków Trybunalski

tel. +48 44 646 44 81  
tel. +48 44 648 50 89  
fax +48 44 646 43 58

e-mail: [info@polanik.com](mailto:info@polanik.com)  
[www.polanik.com](http://www.polanik.com)



## Instruction manual

### Measuring devices MDHJ-3 MDPV-8



File: 2016-06-08  
PRODUCT SUPPORT  
Paweł Ciechanowski  
[p.ciechanowski@polanik.com](mailto:p.ciechanowski@polanik.com)


## I. General description

The devices are designed for measuring the heights at which the crossbar is positioned during the athletics competition of pole vault (MDPV-8 range up to 8 m) and high jump (MDHJ-3 range up to 3 m).




## II. Assembly

1. Unpack the device (item 1) and the measuring plate (item 2).
2. Unscrew the hand wheel (item 3).
3. Screw the measuring plate (item 2) to the device (item 1) with the hand wheel (item 3)



4. The product is ready for use.



## III. Operation

1. **Slid out the telescope profiles slowly, DO NOT pull out the segments fast and rapidly.**
2. Position the device on the ground in front of the landing area, in the middle of the crossbar.
3. Place the measuring plate tip over the crossbar and adjust the length of the segments, so that the tip touches the crossbar edge.
4. Use the green line to read out the height.

## IV. Maintenance

1. The product is to store in dry place in room temperature.
2. Keep the product away moisture – if the water gets inside the segments, it may damage the product.

## V. Declaration

1) No. 2016-06-08

2) Issuer's name: POLANIK

Issuer's address: Życzliwa 11, 97-300 Piotrkow Tryb.

3) Objects of declaration

No.	Name	Code
1	High jump's measuring device 3 m	<b>MDHJ-3</b>
2	Pole vault's measuring device 8 m	<b>MDPV-8</b>

4) Technical specification described above is in accordance with the factory's internal engineering standards.

### Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed for and in behalf of:

POLANIK

2016-06-08 Piotrkow Tryb.

(Date and place of issue)

Paweł Ciechanowski

Product Manager

6) .....

(Name, function)



.....  
(Signature or equivalent authorized by the issuer)