

TECHNICAL SPECIFICATION **ASSEMBLY MANUAL**

Starting device for electronic timing system

RS-START9



ATTENTION!

The product is an electronic device and it requires careful handling!

I. General use

The device is designed to be connected to electronic timing system. It gives a signal to start timing in athletics track events.

II. Technical specification

The device is equipped with the starting cable with banana plugs.

III. Assembly

The product is ready to use after unpacking, it does require any assembly.

IV. Operating

When the trigger is pressed, the device produces a starting signal.

V. Declaration

1) No. 2016-12-22

2) Issuer's name: POLANIK

Issuer's address: Życzliwa 11, 97-300 Piotrkow Tryb.

3) Object of declaration:

No.	Description of goods	Code
1	Starting device for electronic timing system	RS-START9

4) The object of declaration described above is in conformity with the requirements of the company production internal norms.

Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed for and in behalf of:

POLANIK

2016-12-22 Piotrkow Tryb.

(Date and place of issue)

6) Pawel Ciechanowski

Product Manager

.....

(Name, function)



.....
(Signature or equivalent authorized by the issuer)

ASSEMBLY AND USER MANUAL

alarm revolver

Model BAFLO9

cal. .22 long



®

Start

Year of foundation 1977

Important information and general use of alarm revolver model Baflo-9

Before using the revolver read this manual and safe exploitation instructions carefully. Safe exploitation doesn't depend only on mechanical weapon's functioning, it depends first of all on proper usage of the revolver.

Alarm(starting) revolver Baflo-9 is gun which demands alarm(starting) long blank side ignition cartridges cal. .22 and holds 9 rounds. It is destined to use by adults. It is available without gun's permission. (Dz. U. Nr 53/99 pos. 549 Art.11 §5 z dn. 19.06.1999r).

Alarm revolver's model Baflo-9 destination:


- Starting various sport competitions
- Starting an alarm(noise) in case of danger in order to frighten away an intruder.
- Help call (SOS) by light cartridge for example in backwoods(in mountains, on a lake).
- Animals frightening(for example aggressive dogs, birds praying in garden and orchards)
- Shooting fireworks(using thimble) during New Year's Eve Party.
- Hunting dogs and watchdogs training(resistance to noise)

Safety regulations and use:

Cartridges loading is possible only after previous cartridge(1) stop's cocking and drum magazine(2) with raising drum's(3) left pushing out. After ammunition's loading and cocking(4) You should close drum's raising part with the drum magazine. It is prohibited to open and close the drum when the cock is fully withdrawn. It will cause follower's damage. Shooting cycle ends when the ninth cartridge is shot. Pulling the firing lock should be energetic what guarantees right drum magazine's position and protects it from damages caused by firing pin. To throw used cartridge cases open the drum again and push pusher stop. In order to fire a flare screw the thimble(5) to the muzzle(look at page 4)

A convenience by getting a knowledge about the revolver's construction and ordering replacements is a picture with a description(look at page 5).

- Always treat the revolver as if it was loaded.
- Keep the revolver away from children and mentally ill people.
- Don't use any other cartridges than alarm(sporting) cartridges cal. .22.
- Always aim the muzzle at a safe direction.
- Don't aim at people.
- Don't use the revolver after drinking alcohol or taking psychoactive medicaments.
- It is recommended to use protective goggles while shooting.
- Shooting fireworks using thimble should take place only in the open, away from flammable objects. Keep special caution and aim the fire vertically up.
- It is recommended to use high- quality cartridges.
- To avoid blocking the muzzle clean it in the same way as every other kind of weapon, using enclosed cleaning rod. To clean the muzzle always screw the thimble out and after cleaning shot the revolver without the thimble. Clean also the drum magazine and cartridge chamber. Smear the revolver with relevant oils.





Elementy:

- | | | |
|-----------------------------|--------------------------------------|-----------------------------|
| 1 - korpus (szkielet) | 12 - popychacz magazynka | 23 - opora |
| 2 - półbęben stały | 13 - sprężyna dociągająca popychacza | 24 - główka rozładownika |
| 3 - śruba specjalna | 14 - prowadnik sprężyny siłownika | 25 - sprężyna osi bębna |
| 4 - spust | 15 - sprężyna siłownika kurka | 26 - oś bębna |
| 5 - sprężyna spustu | 16 - podkładka siłownika | 27 - sprężyna rozładownika |
| 6 - oś popychacza | 17 - półbęben uchylony | 28 - gwiazda rozładownika |
| 7 - kurek | 18 - oś półbębna uchylonego | 29 - nakładka |
| 8 - iglica | 19 - magazynek | 30 - śruby okładzin 2 szt. |
| 9 - kołek iglicy | 20 - śruby nakładki 2 szt. | 31 - prawa okładzina chwytu |
| 10 - zaczep kurka | 21 - tuleja centrująca | 32 - lewa okładzina chwytu |
| 11 - sprężyna zaczepu kurka | 22 - pierścień | |

POLANIK
Poland, Życzliwa 11
97-300 Piotrków Trybunalski

tel. +48 44 646 44 81
tel. +48 44 648 50 89
fax +48 44 646 43 58

e-mail: info@polanik.com
www.polanik.com



Attention!

In case of using the revolver in discord with the manual the producer shall not be liable for any possible damages, injuries or item's damages. And that way all rights and claims connected with refund expire!

All attempts of mechanic interference are prohibited and can cause legislative consequences!

The product is reported to patent security!

The product doesn't require sign of security "B" certificate.

The guarantee is in force for 12 months since the date of the purchase. Without filled in and stamped GUARANTEE CARD the producer won't take the refund into consideration!

The guarantee doesn't exclude, limit or suspend purchaser's rights which are a result of an article and a contract discrepancy.

HAVE A SATISFACTION WHILE USING OUR PRODUCTS!

Producer - PL



P.P.H.U.

Street: Mikołaja Reja 8

Radwanice 55-010 Św. Katarzyna

www.start-mateja.com.pl

e-mail: biuro@start-mateja.com.pl