

POLANIK
Poland, Życzliwa 11
97-300 Piotrków Trybunalski

tel. +48 44 646 44 81
tel. +48 44 648 50 89
fax +48 44 646 43 58

e-mail: info@polanik.com
www.polanik.com



TECHNICAL SPECIFICATION ASSEMBLY MANUAL

Wind indicator

WI-S301



File: 2014-07-21




PRODUCT SUPPORT
Pawel Ciechanowski
p.ciechanowski@polanik.com

Contents


Chapter	Page
I. General description and use	2
II. Technical specification	3
III. Assembly	4
IV. Operation and maintenance	5
V. Packing and transport	5
VI. Product images	5

I. General description and use

WI-S301 is designed to indicate wind direction during athletics training and competitions. The windsock of the wind indicator points the wind direction. The product is delivered in parts:


Part/set description	Q-ty Pcs.	Part/set sketch
windsock with steel ring	1	
post	1	
base	1	

II. Technical specification




Code	WI-S301
Type	stationary
Windsock	synthetic fabric, installed on steel ring
Post	steel, powder painted, equipped with rotational axle fixed in ball bearing
Base	steel, powder painted
Length L [mm]	1000
Width B [mm]	368
Height H [mm]	1750
Net weight [kg]	10,25


III. Assembly




1. First install the windsock. Unscrew the dome nut with a metric wrench no. 10 and remove the washer and the dome nut. Then slide the threaded end of the ring into the rotational axle of the post. Next place the washer onto the threaded end and tighten up the dome nut.



2. Use a metric hex key no.6 to unscrew the blocking screw in the base.



3. Slide the post end into the base and screw down the blocking screw.



4. After the base has been installed, the wind indicator is ready for use.

IV. Operation and maintenance

During idle periods the wind indicator must be stored in a roofed and dry place.

V. Packing and transport

The post is wrapped in bubble foil. The base and the windsock are packed in a carton box:

	contents	1 post	1 base, 1 windsock	
Boxes' dimensions [m]	length L	1,55	0,385	total
	width B	0,07	0,385	
	height H	0,07	0,230	
Volume [m ³]		0,008	0,034	0,042
Gross weight [kg]		3	8	11

VI. Product images



WI-S301 © 2014 Polanik

The producer reserves the right to introduce without warning changes in product constructions and colours.