

POLANIK  
Poland, Życzliwa 11  
97-300 Piotrków Trybunalski

tel. +48 44 646 44 81  
tel. +48 44 648 50 89  
fax +48 44 646 43 58

e-mail: [info@polanik.com](mailto:info@polanik.com)  
[www.polanik.com](http://www.polanik.com)



## User`s manual

### Protection cover for throwing circle PC16-S0512



File: 2018-04-06  
PRODUCT SUPPORT  
Paweł Ciechanowski  
[p.ciechanowski@polanik.com](mailto:p.ciechanowski@polanik.com)

### Warning!

The sports equipment produced by POLANIK is designed for athletics training and use in sports competitions only. Please pay special attention especially when using throwing implements and other throwing equipment, misuse of athletics equipment and implements can cause serious injury. In no event shall POLANIK be liable for any special, incidental, indirect or consequential damages in connection with the purchase or use of POLANIK products or costs over the original cost of the product. Concerning our permanent efforts to improve our products i.e. their quality and aesthetic values, we reserve the right to introduce, without prior notice, constructional changes as well as other modifications in standard colours of the equipment and implements.






### Specific warranty terms:

1. Fading of PVC fabric colour or stains caused by UV radiation, snow and rain are excluded from the warranty.






## I. General description and use

The cover is designed to protect the surface of the athletics throwing circles which are permanently installed in the surface of the throwing facility (for: discus throw, hammer throw and shot put) against unfavourable weather conditions.

## II. Parts (part sets) list

Item	Part/set description	Q-ty Pcs.	Part/set sketch
1	Cover steel segment	4	
2	PVC cover	1	
3	Plastic plug	1	
4	Handle	4	
5	Set of screws, nuts and washers: -nut M8 = 28 pcs -washer M8 standard = 28 pcs -washer M8 wide = 8 pcs -screw M8x16 = 8 pcs -screw M8x20 = 20 pcs -screw hex key M8 = 8 pcs	1	

### III. Assembly

Step	Description	Image
1	Put the cover steel segments (item 1) on the ground according to the labels, "1" next to "1", "2" next to "2" and so on.	
2	Connect the segments one by one starting from the connection "1-1", use the included screws (item 5), install them with hands first, use: - screws M8x16 and washers M8 on the circle edge, - screws M8x20 with standard washers M8 and nuts M8 for the circle ribs.	
3	Install the top plastic plug (item 3).	
4	Tighten all the screws with wrenches.	
5	The holes labelled "R" are used to install the handles (item 4) after you put on the PVC cover.	



Step	Description	Image
6	Put the PVC cover (item 2) on the steel construction, match the blue stripe on the edge of the steel circle with the blue stripe on the PVC cover.	
7	Install the handles (item 4) in the holes labelled "R", use: screws hex key M8, washers M8 standard and nuts M8.	
8	Use the rest of the steel eyelets to fasten the PVC cover to the steel construction, with the screws M8x20 with widen washers M8 and nuts M8.	
9	Now the cover is ready for use in the throwing facility.	

#### IV. Operation and maintenance

The cover is equipped with four handles for carrying by two people. Do not put any objects on the cover. Do not climb or step on the cover. Remove regularly remaining snow and water from the cover top surface. Do not leave snow or water to dry on the cover surface. To clean the cover use commonly available detergents, first try to clean a small spot on its bottom side in order to check the reaction with the PVC fabric. Any revealed damages in zinc layer ought to be protected with anticorrosive paint.

#### V. Used covers

The used cover must not be discarded with household waste, instead it should be delivered to a specialized waste and recycling collection centre.