

TECHNICAL SPECIFICATION ASSEMBLY MANUAL

2-digits, lap counter

T2BD-S410




I. General description and use




The lap counter with bell T2BD-S410 is used to count laps during track events and trainings. Main features: **innovative construction** – consist of parts easy to assembly, transport and store, **simple operating** – possibility of fast assembly and easy setup required number of laps on digital plastic units, **high durability and quality** – all metal elements are made of aluminium powder painted steel, other elements and digital plastic units are made of high class, weatherproof material, **possibility of exchange** used elements.

II. Technical specification

Code	T2BD-S410
Type	2-digits
Number of components	3
Board	Waterproof plate with foamed PVC with thickness 10mm
Cartridges numeric	Plastic, switched manually, simple to replace
Supporting structure	Steel, powder painted, two-segment post with synthetic connector, rotation 360°, blocked in desired position with adjusting screw
Base	Steel, powder painted
Weight [kg]	~20



III. Parts/sets list

Item	Part/set description	Draw. no.	Part/set sketch
1	Base S-0028-000-00-01-02	1	
2	Constant tube with connector S- 271-02-00	1	
3	Assembled upper part of the board (Backing plate with rotary tube) S-246-03-00 + Board with unit and bracket S-0410-000-04-00-00)	1	

IV. Assembly

The lap counter with bell T2-S246 is delivered partially disassembled. The sequence of the assembly operations is described in this manual. Assembly starts with setting the base.(item 1). Then, to the base (item 1) using the supplied screws and washers screwed clamp with constant tube (item 2). Then, on clamp with constant tube (item 2) put the top part of the board (item 3). The lap counter is ready to use.

V. Operating and maintenance

Attention !

Digital plastic units have self-locking handles to move numbers. When setting the result do not move more than 2-3 digits – it will provide failure- free and long lasting operating.

After each use the product should be cleaned and stored in a dry, roofed place. Dirt remove with moist cloth and mild detergent. Damages of protective coating fill with metal paint.

VI. Packing and transport

The product is packed in foil and send in box with dimensions 1500 x 500 x 230 [mm].

Even the best technical solutions cannot substitute for common sense. The usage of the product must take place under the supervision of sports facility technical staff. The producer shall not be liable for any incidents caused by the improper assembly or its misuse. The producer reserves the right to introduce without warning changes in product constructions and colours.

VII. Image of the product



T2BD-S410 © 2016 Polanik

The producer reserves the right to introduce without warning changes in product constructions and colours.

VIII. Declaration

1) No. 2016-08-09

2) Issuer's name: POLANIK Sp. z o. o.

Issuer's address: Życzliwa 11, 97-300 Piotrków Tryb.

3) Objects of declaration

No.	Name	Code
1	2-digits, lap counter	T2BD-S410

4) Technical specification described above is in accordance with the factory's internal engineering standards.

Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed for and in behalf for:

POLANIK

2016-08-09 Piotrków Tryb.

(Date and place of issue)

Paweł Ciechanowski

Product Manager

6)

(Name, function)



.....
(Signature or equivalent authorized by the issuer)