


TECHNICAL SPECIFICATION INSTRUCTION MANUAL

Competition steeplechase barriers

PP-396 and PP-500



PRODUCT SUPPORT Paweł Ciechanowski




I. General description and use

PP-396 and PP-500 are high quality competition barriers, which are designed for steeplechase race. Innovate construction of the telescopes protected with special rubber aprons, guarantees a long product life and an easy operation.

II. Technical specification

	PP-396	PP-500	
Barrier type	competition	competition	
(A) Top beam	multilayer wooden beam, painted	multilayer wooden beam, painted	
(B) Telescopes	steel powder painted, spring-loaded knob system of height adjustment, equipped with special rubber aprons against moisture	steel powder painted, spring- loaded knob system of height adjustment, equipped with special rubber aprons against moisture	
(C) Feet	steel powder painted	steel powder painted	
Length [mm]	3960	5000	
Height [mm]	762	762	
	914	914	
Weight [kg]	85	93	



III. Operation and maintenance

During idle periods the barriers must be stored in a roofed dry place.

Attention! The rubber aprons of the telescopes are coated with a long lasting protection film against UV radiation during the production process, in order to maintain a proper condition of apron rubber UV protection agents should be regularly applied on them.

After every athletics season the barriers must be cleaned from sand (mud, dust and etc).

IV. Packing and transport

The product is packed in cardboard and foil. The product needs to be assembled

Barrier		PP-396	PP-500
Package's dimensions [cm]	contents	1 pc	1 pc
	length	410	510
	width	17	17
	height	30	30
Volume [m³]		0,21	0,26
Gross weight [kg]		88	96



tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



V. Product images

PP-396 PP-500






© 2018 Polanik

The producer reserves the right to introduce without warning changes in product constructions and colours.

tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



VI. Assembly PP-396




Dimensions [mm]

tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



PP-500



Dimensions [mm]

tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



VII. Certificates

IAAF Certificate no. E-04-0392

International Association of Athletics Federations

Athletic

Product Certificate

The IAAF is pleased to certify hereby that the following product:

Product's Trade Name:

Steeplechase barrier, Movable

Description, Colour / Absolute Thickness:

Adjustable height, Length 3.96m & 5m, White/dark blue/red

Company Name, Country:

Polanik Sp. z o. o. - Sp. K., POL

Catalogue Number:

PP-396/ PP-500

IAAF Certification Number:

E-04-0392

meets the dimensional requirements for use in all international athletics competitions.

It is for the purchaser to determine the item's fitness for the purpose based on his knowledge of the local conditions and use.

Valid from:

1 January 2017

Until the last day of:

January 2021

This certificate is issued in accordance with the terms and conditions of the IAAF Certification System of track and field facilities, implements and competition equipment.

SEBASTIAN COE

IAAF President

JORGE SALCEDO

IAAF Technical Committee Chairman

