

TECHNICAL SPECIFICATION

Rubber training discuses HRD and SRD series



File: 2017-08-22

TECHNICAL SUPPORT

Paweł Ciechanowski

p.ciechanowski@polanik.com

I. Description

Training rubber discuses are designed for serial throwing in training an athletics event , the discus throw. They are solid and durable, one-piece construction.

Soft rubber discuses (SRD-series) are specially designed for indoor training (made of non-marking rubber), they can be also used on grassy ground outdoors.



Hard black rubber discuses (HRD-series) are specially designed for outdoor training on grassy grounds.



II. Technical specification

| Code | Weight* [kg] | Diameter* [mm] |
|----------|--------------|----------------|
| HRD-0,35 | 0,35 | 120 |
| HRD-0,6 | 0,6 | 155 |
| HRD-0,75 | 0,75 | 155 |
| HRD-0,8 | 0,8 | 165 |
| HRD-1 | 1 | 180 |
| HRD-1,25 | 1,25 | 180 |
| HRD-1,5 | 1,5 | 200 |
| HRD-1,6 | 1,6 | 210 |
| HRD-1,75 | 1,75 | 210 |
| HRD-2 | 2 | 220 |
| SRD-0,6 | 0,6 | 155 |
| SRD-0,75 | 0,75 | 155 |
| SRD-1 | 1 | 180 |
| SRD-1,5 | 1,5 | 200 |
| SRD-1,6 | 1,6 | 210 |
| SRD-1,75 | 1,75 | 210 |
| SRD-2 | 2 | 220 |

*approximate values

III. Packing and transport

Product is send in cardboard boxes.

Even the best technical solutions cannot substitute for common sense. The usage of the product must take place under the supervision of qualified sport facilities staff. The producer shall not be liable for any incidents caused by the product's misuse. The producer reserves the right to introduce without warning changes in product constructions and colours.

© 2017 Polanik

IV. Declaration

1) No. 2017-08-22

2) Issuer's name: POLANIK

Issuer's address: Życzliwa 11, 97-300 Piotrków Tryb.

3) Objects of declaration

| Code | Description | Nominal weight* [kg] |
|----------|------------------------|----------------------|
| HRD-0,35 | Rubber training discus | 0,35 |
| HRD-0,6 | Rubber training discus | 0,6 |
| HRD-0,75 | Rubber training discus | 0,75 |
| HRD-0,8 | Rubber training discus | 0,8 |
| HRD-1 | Rubber training discus | 1 |
| HRD-1,25 | Rubber training discus | 1,25 |
| HRD-1,5 | Rubber training discus | 1,5 |
| HRD-1,6 | Rubber training discus | 1,6 |
| HRD-1,75 | Rubber training discus | 1,75 |
| HRD-2 | Rubber training discus | 2 |
| SRD-0,6 | Rubber training discus | 0,6 |
| SRD-0,75 | Rubber training discus | 0,75 |
| SRD-1 | Rubber training discus | 1 |
| SRD-1,5 | Rubber training discus | 1,5 |
| SRD-1,6 | Rubber training discus | 1,6 |
| SRD-1,75 | Rubber training discus | 1,75 |
| SRD-2 | Rubber training discus | 2 |

4) Technical specification described above is in accordance with the factory's internal engineering standard.

Additional Information

5) The declaration was made for:

Buyer/Distributor/User

Signed for and in behalf for:

POLANIK

2017-08-22 Piotrków Tryb.


(Date and place of issue)

Paweł Ciechanowski

Product Manager

6)

(Name, function)


.....
(Signature or equivalent authorized by the issuer)