

POLANIK
Poland, Życzliwa 11
97-300 Piotrków Trybunalski

tel. +48 44 646 44 81
tel. +48 44 648 50 89
fax +48 44 646 43 58

e-mail: info@polanik.com
www.polanik.com

 **polanik**[®]
we help to win

INSTRUCTION MANUAL

High jump school landing area

W-435



File: 2014-07-18

Product support
Paweł Ciechanowski
p.ciechanowski@polanik.com

Thank you for choosing POLANIK landing area.

Contents

Chapter	Page
I. General description	3
II. Technical specification	3
III. Preparing for first use	3
IV. Assembly	3
V. Operating	4
VI. Maintenance	4
VII. Storing	4
VIII. Declaration	4



I. General description

POLANIK school landing area W-435 is top quality sports equipment which is designed to secure jumpers and absorb impact energy of a jumper's landing after take off and flight in high jump training.

II. Technical specification


Code	W-435
Dimensions length / width / height [m]	4 / 3 / 0,5
Weight [kg]	126 kg
Number of segments [pcs]	3
Spike resistant surface	upper surface of top pad is equipped with spike resistant mesh fabric
Segment covering	PVC, made of polyester with two vinyl layers
Internal structure	advanced 3-layer construction, made of high quality PUR foam
Way of segment linking	stainless steel hooks and D-rings
Way of waterproof cover linking	stainless steel D-rings
Carrying handles	very strong jacquard webbing, firmly attached by means of envelope stitching

III. Preparing for first use

The landing area elements are vacuum packed only for transport. Please unpack them immediately after delivery and leave them in a roofed place for few hours, so that they can return to their original shapes. **Storing vacuum packed landing area elements may cause permanent damages in their internal structures.** When the landing area elements return to their original dimensions, you can place them in high jump field. The field surface should be even, smooth and without any obstacles. If you use the landing area outdoors, you should also provide: a special waterproof cover P-435 to protect the landing area against unfavourable weather conditions and a modular platform SW-4x3 to insulate the landing area from the ground.

IV. Assembly


It is done in the following way:




place the main segments of the landing area in the high jump facility,



using the jacquard webbing belts and self-locking buckles located on the segment sides fasten the segments to each other,



place the top pad on the landing area main segments,



then fasten the top pad to the main segments using the snap hooks and D-rings,



now the landing area is ready for use.

V. Operating

Stepping on the landing area and practising require special footwear designed for those purposes. Treading on the landing area in footwear with spikes is only allowed when the landing area is equipped with special spike resistant surface. Stepping on the landing areas in hard footwear or in shoes with heels is strongly prohibited. You must not put any tables, chairs, benches or any other objects whose unit pressure exceeds $1\text{kg}/1\text{cm}^2$ on the landing area. If the landing area is moved from one place to another very often, it is recommended that a landing area cart should be used.

VI. Maintenance

Due to the hygiene requirements it is recommended that the landing area should be cleaned regularly with commonly available detergents. Before you start wiping the landing area, please try to clean a small spot on its bottom side in order to check the reaction with the PVC fabric.

VII. Storing

The landing area segments can be stored only in a horizontal position. They cannot be bent or pressed by any objects during storing. That may deform the segments permanently. A storing facility should be clean and dry. It ought to provide min. temperature 5°C .

Even the best technical solutions cannot substitute for common sense. The usage of the product must take place under the supervision of qualified coaches. The producer shall not be liable for any incidents caused by the improper assembly or its misuse. The producer reserves the right to introduce without warning changes in product constructions and colours.

VIII. Declaration

- 1) No. 2010-04-12
- 2) Issuer's name: POLANIK Sp. z o. o.
Issuer's address: Życzliwa 11, 97-300 Piotrkow Tryb.
- 3) Object of declaration:

Position	Description	Code
1	High jump school landing area $4 \times 3 \times 0,5 \text{ m}$	W-435

- 4) The object of declaration described above is in conformity with the requirements of the following documents:

Document No.	Title	Edition/Date of issue	Position
PN-EN 12503-2	Sports mats – Part 2: Pole vault and high jump mats, safety requirements	April 2004	All above

Additional Information

- 5) Declaration for:

BUYER and USER


Signed for and in behalf of:

POLANIK

2014-07-18 Piotrkow Tryb.
(Date and place of issue)

Pawel Ciechanowski
Product Manager

- 6)
(Name, function)


.....
(Signature or equivalent authorized by the issuer)